

Previously released versions: 4.2.38, 4.2.206, 4.2.219, 4.2.223, 4.2.432, 4.2.437, 4.2.446, 4.2.453, 4.2.454, 4.2.461, 4.2.468, 4.2.476, 4.2.484, 4.2.488, 4.2.497

Bug-fixes

ID	Role	Category	Sub Category	Description
152809	All Users	ContentCreator (WebClient)	Rights	The user guidance for editing objects has been improved if the user has not the required "Change" permission. The notification dialog can now also be closed in this case by using the "Close" button.
137351	All Users	ServerMonitoring	None	In Server Monitoring (FirstSpirit / Configuration / Logging), the "log4j.appender.fs.maxFileSize" parameter for configuring the maximum file size was not always taken into account. A possible correct configuration would be as follows: "log4j.appender.fs.maxFileSize=3MB". In this case, the actual log file would automatically be converted to a zip file if the maximum size of 3 MB is reached. Logging then continues in a new file.
147834	All Users	SiteArchitect (JavaClient)	Content Store	A project-specific workflow can be specified in the server and project configuration for the purpose of deleting elements. With this configuration, the data source was erroneously deleted when a dataset was removed using the button.
104235	All Users	SiteArchitect (JavaClient)	Corporate Content	A name space enhancement (package name, for example "@Name") can be used for package content for the "Corporate Content" (formerly: PackagePool) functionality. For pages and page references a section can optionally be selected within the FS_REFERENCE input component ("sections" parameter). Unfortunately, sections with name space enhancements could not be selected.
148073	All Users	SiteArchitect (JavaClient)	Corporate Content	In the "Corporate Content" module (formerly: PackagePool), an error would sometimes occur if an object was removed from a package that had already been rolled out and the package was then rolled out again.
117068	All Users	SiteArchitect (JavaClient)	Input Components	The display for languages which are not the master language has been optimized for language-dependent FS_LIST input components (type INLINE) in the version comparison.
145302	All Users	SiteArchitect (JavaClient)	Input Components	The input components FS_DATASET and FS_LIST (type DATABASE) can be used for selecting datasets. The selection dialog shows besides the current state as well the released state of the Data source (tab "Released records"). Datasets could have been selected by mistake from the released state, too, so far.
145887	All Users	SiteArchitect (JavaClient)	Input Components	Editing an entry could lead to erroneous behavior in rare cases when using the input component FS_LIST(type DATABASE).
146360	All Users	SiteArchitect (JavaClient)	Input Components	The FS_LIST input component (type DATABASE) can be used for maintaining a "N to M" foreign key relationship. Editing several entries without leaving the editing mode could lead to erroneous behavior in this case.
112817	All Users	SiteArchitect (JavaClient)	Media Store	The image cropping function has been improved.
139975	All Users	SiteArchitect (JavaClient)	Page Store	In Corporate Content (formerly: PackagePool), a page in the target project was not automatically released if the associated sections were no longer in the package following an update.
147440	All Users	SiteArchitect (JavaClient)	Search	Sometimes, the global search function was unable to find link texts from the CMS_INPUT_DOMTABLE input component.
144674	FirstSpirit Administrator	ServerManager (Server and Project Configuration)	Export / Import	Project exports in FirstSpirit can be restricted to a specific revision. Temporarily, the IDs from the original project have been retained by mistake for some objects when importing such an export file.