

DEBUG 05.07.2011 10:49:32.380 (de.espirit.firstspirit.server.io.AbstractServerConnection):  
setManagerProvider()  
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl\$ScheduleRunnable\$1@5db21846

INFO 05.07.2011 10:49:32.380  
(de.espirit.firstspirit.server.sessionmanagement.SessionManagerImpl): new session  
(ID=1520615364762288538, user=SYSTEM, userID=0, type=DUMMY) created

DEBUG 05.07.2011 10:49:32.389 (de.espirit.firstspirit.client.UserServiceImpl): create user service,  
cache class current = 'de.espirit.firstspirit.store.access.ClientStoreElementCache', release =  
'de.espirit.firstspirit.store.access.ClientStoreElementCache'

INFO 05.07.2011 10:49:32.389 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl): starting task 'Generate' - schedule  
entry 'Deploy Individual Asset To Prod' (id=89011)

INFO 05.07.2011 10:49:32.390 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): setting user service to nearest revision  
Tue Jul 05 10:49:32 BST 2011

DEBUG 05.07.2011 10:49:32.419 {seID=89011} (de.espirit.firstspirit.client.UserServiceImpl): create  
user service (rev=18862), cache class current =  
'de.espirit.firstspirit.store.access.RevisionElementCache', release =  
'de.espirit.firstspirit.store.access.RevisionElementCache'

INFO 05.07.2011 10:49:32.420 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): start generation of project 'Speedo  
International' (id=57534), date 'Tue Jul 05 10:48:16 BST 2011', revision 18862

INFO 05.07.2011 10:49:32.823 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): deleting directory  
'/opt/firstspirit4/web/fs4staging/57534/89011'

INFO 05.07.2011 10:49:32.859 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): partial generation

INFO 05.07.2011 10:49:32.868 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed release sitestore xml in 0 ms

DEBUG 05.07.2011 10:49:32.870 {seID=89011}  
(de.espirit.firstspirit.store.access.ClientStoreElementCache): Cache miss <SITENODE id="87696" ...

INFO 05.07.2011 10:49:32.873 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed release mediastore xml in 1 ms

INFO 05.07.2011 10:49:32.894 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed release sitestore xml in 0 ms

INFO 05.07.2011 10:49:32.898 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): generating 'insidespeedo' (id=87696), language EN, template set 'html'

INFO 05.07.2011 10:49:32.902 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed release globalstore xml in 1 ms

INFO 05.07.2011 10:49:32.910 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed current templatestore xml in 0 ms

INFO 05.07.2011 10:49:32.975 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed release pagestore xml in 1 ms

INFO 05.07.2011 10:49:32.988 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/landing.html'

INFO 05.07.2011 10:49:32.989 {seID=89011}  
(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): page reference 'externalrefrenceonly\_6'  
(id=87703, EN) is an external reference

INFO 05.07.2011 10:49:32.991 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
generate of page (id=87703) stopped

DEBUG 05.07.2011 10:49:33.066 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT  
t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by,  
t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND  
t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:33.066 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4675,

DEBUG 05.07.2011 10:49:33.072 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT  
t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name,  
t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE  
fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:33.072 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4686,

INFO 05.07.2011 10:49:33.266 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/history/index.html'

INFO 05.07.2011 10:49:33.267 {seID=89011}  
(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference  
'history\_of\_speedo' (id=87700, html, EN)

INFO 05.07.2011 10:49:33.427 {seID=89011} (de.espirit.firstspirit.store.access.AccessStoreBuilder):  
Parsed release mediastore xml in 0 ms

INFO 05.07.2011 10:49:33.439 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): copy file  
content brand\_marketing (id=87167), lang = EN, to media/css/brand-marketing.css

INFO 05.07.2011 10:49:33.513 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): copy file content ie (id=87166), lang = EN, to media/css/ie.css

DEBUG 05.07.2011 10:49:33.694 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by, t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:33.694 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4673,

DEBUG 05.07.2011 10:49:33.746 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name, t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:33.746 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4681,

DEBUG 05.07.2011 10:49:33.973 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name, t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:33.974 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4682,

DEBUG 05.07.2011 10:49:34.145 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name, t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:34.145 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4683,

DEBUG 05.07.2011 10:49:34.216 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name, t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:34.216 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4684,

DEBUG 05.07.2011 10:49:34.468 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name, t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:34.468 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4685,

DEBUG 05.07.2011 10:49:34.530 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by, t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:34.531 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4674,

INFO 05.07.2011 10:49:34.902 {seID=89011} (de.espirit.or.impl.query.SelectSaxHandler): ignoring token ORDER

DEBUG 05.07.2011 10:49:34.916 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t6.changed\_by, t6.core\_fs\_id, t6.fs\_id, t6.fs\_release\_to, t6.fs\_valid\_from, t6.fs\_valid\_to, t6.name, t6.released\_by, t6.wf\_col, t6.wf\_id FROM speedo\_com.coremetrics\_subcategories t6 WHERE fs\_id=? AND t6.fs\_release\_to>1309859296027 AND t6.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:34.916 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4688,

DEBUG 05.07.2011 10:49:34.975 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by, t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:34.976 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4677,

DEBUG 05.07.2011 10:49:35.020 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by, t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:35.020 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4678,

DEBUG 05.07.2011 10:49:35.068 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by, t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:35.068 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4679,

ERROR 05.07.2011 10:49:35.192 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): ref target not found 'pageref:rome\_roma\_2009'

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1

inside of: Template 'Multiple Image Puffs' (id=87328)

inside of: \$CMS\_VALUE(st\_puffs)\$ - at 7, 4

inside of: Template 'Arranged Image Puff With Roll Over' (id=87206)

inside of: \$CMS\_VALUE(st\_link)\$ - at 12, 15

inside of: Link Template 'basicinternallink.linkforimagepuff' (id=87197)

inside of: \$CMS\_VALUE(ref(#link.sitestoreref))\$ - at 1, 1

```
java.lang.IllegalArgumentException: ref target not found 'pageref:rome_roma_2009'
    at
de.espirit.firstspirit.generate.functions.RefFunction.resolveFromString(RefFunction.java:224)
    at
de.espirit.firstspirit.generate.functions.RefFunction.resolveReference(RefFunction.java:142)
    at de.espirit.firstspirit.generate.functions.RefFunction.eval(RefFunction.java:93)
    at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:62)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at de.espirit.firstspirit.generate.ElementRenderer.print(ElementRenderer.java:105)
    at
de.espirit.firstspirit.generate.AbstractGenerationContext.print(AbstractGenerationContext.java:1048
)
    at de.espirit.firstspirit.generate.Global.print(Global.java:402)
    at Global_print_Link_927.invoke(Unknown Source)
    at de.espirit.firstspirit.parser.eval.Invoker$MethodWrapperImpl.invoke(Invoker.java:851)
    at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:443)
    at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:375)
    at de.espirit.firstspirit.parser.eval.Invoker.evalMethod(Invoker.java:191)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:193)
    at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:69)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at
de.espirit.firstspirit.generate.AbstractGenerationContext.print(AbstractGenerationContext.java:1017
)
    at de.espirit.firstspirit.generate.Global.print(Global.java:390)
```

```
at de.espirit.firstspirit.generate.Global.print(Global.java:884)
at de.espirit.firstspirit.generate.Global.print(Global.java:895)
at Global_print_NotifyingList_919.invoke(Unknown Source)
at de.espirit.firstspirit.parser.eval.Invoker$MethodWrapperImpl.invoke(Invoker.java:851)
at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:443)
at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:375)
at de.espirit.firstspirit.parser.eval.Invoker.evalMethod(Invoker.java:191)
at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:193)
at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:69)
at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)
at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
at
de.espirit.firstspirit.generate.AbstractGenerationContext.print(AbstractGenerationContext.java:1017
)
at de.espirit.firstspirit.generate.Global.print(Global.java:380)
at Global_print_Body_923.invoke(Unknown Source)
at de.espirit.firstspirit.parser.eval.Invoker$MethodWrapperImpl.invoke(Invoker.java:851)
at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:443)
at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:375)
at de.espirit.firstspirit.parser.eval.Invoker.evalMethod(Invoker.java:191)
at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:193)
at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:69)
at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)
at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
at de.espirit.firstspirit.store.access.sitestore.PageRefImpl.render(PageRefImpl.java:804)
at
de.espirit.firstspirit.store.access.sitestore.PageRefImpl.createContent(PageRefImpl.java:762)
```

```
at de.espirit.firstspirit.generate.SiteProduction.render(SiteProduction.java:217)
at de.espirit.firstspirit.generate.SiteProduction.render(SiteProduction.java:173)
at de.espirit.firstspirit.generate.SiteProduction.render(SiteProduction.java:176)
at de.espirit.firstspirit.generate.SiteProduction.start(SiteProduction.java:98)
at
de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor.run(GenerateTaskExecutor.java:180)
at
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl$TaskCallable.executeLocal(ScheduleMa
nagerImpl.java:1833)
at
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl$TaskCallable.executeLocal(ScheduleMa
nagerImpl.java:1813)
at
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl$TaskCallable.call(ScheduleManagerImpl.
java:1742)
at
de.espirit.firstspirit.server.ExecutionManagerImpl$ExtendedCallable.call(ExecutionManagerImpl.jav
a:450)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:269)
at java.util.concurrent.FutureTask.run(FutureTask.java:123)
at
de.espirit.common.util.BoundedExecutorService$RunnableWrapper.run(BoundedExecutorService.java:398)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:417)
at java.util.concurrent.FutureTask$Sync.innerRun(FutureTask.java:269)
at java.util.concurrent.FutureTask.run(FutureTask.java:123)
at java.util.concurrent.ThreadPoolExecutor$Worker.runTask(ThreadPoolExecutor.java:650)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:675)
at java.lang.Thread.run(Thread.java:595)
at de.espirit.common.util.SuspendableThread.run(SuspendableThread.java:42)
```

WARN 05.07.2011 10:49:35.193 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)  
inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1  
inside of: Template 'Multiple Image Puffs' (id=87328)  
inside of: \$CMS\_VALUE(st\_puffs)\$ - at 7, 4  
inside of: Template 'Arranged Image Puff With Roll Over' (id=87206)  
inside of: \$CMS\_VALUE(st\_link)\$ - at 12, 15  
inside of: Link Template 'basicinternallink.linkforimagepuff' (id=87197)  
inside of: \$CMS\_VALUE(ref(#link.sitestoreref))\$ - at 1, 1

DEBUG 05.07.2011 10:49:35.271 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): SELECT t5.changed\_by, t5.fs\_id, t5.fs\_release\_to, t5.fs\_valid\_from, t5.fs\_valid\_to, t5.name, t5.released\_by, t5.wf\_col, t5.wf\_id FROM speedo\_com.coremetrics\_parent\_categories t5 WHERE fs\_id=? AND t5.fs\_release\_to>1309859296027 AND t5.fs\_valid\_from<=1309859296027

DEBUG 05.07.2011 10:49:35.272 {seID=89011} (de.espirit.or.impl.ReleaseSessionHandler): 4736,

INFO 05.07.2011 10:49:35.386 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): copy file content menu (id=87161), lang = EN, to media/script/menu.js

INFO 05.07.2011 10:49:35.398 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): copy file content slider (id=87164), lang = EN, to media/script/slider.js

INFO 05.07.2011 10:49:35.406 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating output stream for '/en/speedo\_brand/insidespeedo/speedo\_on\_facebook/index.html'

INFO 05.07.2011 10:49:35.407 {seID=89011}  
(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference 'rome\_roma\_1' (id=87702, html, EN)

ERROR 05.07.2011 10:49:35.665 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): ref target not found 'pageref:aquabeat\_mp3\_player'

inside of: Template 'Home Page (1a Home)' (id=87218)  
inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1  
inside of: Template 'Multiple Image Puffs' (id=87328)  
inside of: \$CMS\_VALUE(st\_puffs)\$ - at 7, 4  
inside of: Template 'Arranged Image Puff With Roll Over' (id=87206)  
inside of: \$CMS\_VALUE(st\_link)\$ - at 12, 15



inside of: Link Template 'basicinternallink.linkforimagepuff' (id=87197)

inside of: \$CMS\_VALUE(ref(#link.sitestoreref))\$ - at 1, 1

```
java.lang.IllegalArgumentException: ref target not found 'pageref:aquabeat_mp3_player'
    at
de.espirit.firstspirit.generate.functions.RefFunction.resolveFromString(RefFunction.java:224)
    at
de.espirit.firstspirit.generate.functions.RefFunction.resolveReference(RefFunction.java:142)
    at de.espirit.firstspirit.generate.functions.RefFunction.eval(RefFunction.java:93)
    at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:62)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at de.espirit.firstspirit.generate.ElementRenderer.print(ElementRenderer.java:105)
    at
de.espirit.firstspirit.generate.AbstractGenerationContext.print(AbstractGenerationContext.java:1048
)
    at de.espirit.firstspirit.generate.Global.print(Global.java:402)
    at Global_print_Link_927.invoke(Unknown Source)
    at de.espirit.firstspirit.parser.eval.Invoker$MethodWrapperImpl.invoke(Invoker.java:851)
    at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:443)
    at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:375)
    at de.espirit.firstspirit.parser.eval.Invoker.evalMethod(Invoker.java:191)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:193)
    at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:69)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
    at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)
    at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)
```

at  
de.espirit.firstspirit.generate.AbstractGenerationContext.print(AbstractGenerationContext.java:1017  
)

at de.espirit.firstspirit.generate.Global.print(Global.java:390)

at de.espirit.firstspirit.generate.Global.print(Global.java:884)

at de.espirit.firstspirit.generate.Global.print(Global.java:895)

at Global\_print\_NotifyingList\_919.invoke(Unknown Source)

at de.espirit.firstspirit.parser.eval.Invoker\$MethodWrapperImpl.invoke(Invoker.java:851)

at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:443)

at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:375)

at de.espirit.firstspirit.parser.eval.Invoker.evalMethod(Invoker.java:191)

at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:193)

at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:69)

at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)

at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)

at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)

at  
de.espirit.firstspirit.generate.AbstractGenerationContext.print(AbstractGenerationContext.java:1017  
)

at de.espirit.firstspirit.generate.Global.print(Global.java:380)

at Global\_print\_Body\_923.invoke(Unknown Source)

at de.espirit.firstspirit.parser.eval.Invoker\$MethodWrapperImpl.invoke(Invoker.java:851)

at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:443)

at de.espirit.firstspirit.parser.eval.Invoker.invokeMethod(Invoker.java:375)

at de.espirit.firstspirit.parser.eval.Invoker.evalMethod(Invoker.java:191)

at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:193)

at de.espirit.firstspirit.parser.impl.CmsValueImpl.print(CmsValueImpl.java:69)

at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)

at de.espirit.firstspirit.parser.impl.AbstractPrintable.print(AbstractPrintable.java:77)

at de.espirit.firstspirit.parser.EvaluatorImpl.print(EvaluatorImpl.java:433)

at de.espirit.firstspirit.store.access.sitestore.PageRefImpl.render(PageRefImpl.java:804)

at  
de.espirit.firstspirit.store.access.sitestore.PageRefImpl.createContent(PageRefImpl.java:762)

at de.espirit.firstspirit.generate.SiteProduction.render(SiteProduction.java:217)

at de.espirit.firstspirit.generate.SiteProduction.render(SiteProduction.java:173)

at de.espirit.firstspirit.generate.SiteProduction.render(SiteProduction.java:176)

at de.espirit.firstspirit.generate.SiteProduction.start(SiteProduction.java:98)

at  
de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor.run(GenerateTaskExecutor.java:180)

at  
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl\$TaskCallable.executeLocal(ScheduleManagerImpl.java:1833)

at  
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl\$TaskCallable.executeLocal(ScheduleManagerImpl.java:1813)

at  
de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl\$TaskCallable.call(ScheduleManagerImpl.java:1742)

at  
de.espirit.firstspirit.server.ExecutionManagerImpl\$ExtendedCallable.call(ExecutionManagerImpl.java:450)

at java.util.concurrent.FutureTask\$Sync.innerRun(FutureTask.java:269)

at java.util.concurrent.FutureTask.run(FutureTask.java:123)

at  
de.espirit.common.util.BoundedExecutorService\$RunnableWrapper.run(BoundedExecutorService.java:398)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:417)

at java.util.concurrent.FutureTask\$Sync.innerRun(FutureTask.java:269)

at java.util.concurrent.FutureTask.run(FutureTask.java:123)

at java.util.concurrent.ThreadPoolExecutor\$Worker.runTask(ThreadPoolExecutor.java:650)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:675)

at java.lang.Thread.run(Thread.java:595)

at de.espirit.common.util.SuspendableThread.run(SuspendableThread.java:42)

WARN 05.07.2011 10:49:35.666 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1

inside of: Template 'Multiple Image Puffs' (id=87328)

inside of: \$CMS\_VALUE(st\_puffs)\$ - at 7, 4

inside of: Template 'Arranged Image Puff With Roll Over' (id=87206)

inside of: \$CMS\_VALUE(st\_link)\$ - at 12, 15

inside of: Link Template 'basicinternallink.linkforimagepuff' (id=87197)

inside of: \$CMS\_VALUE(ref(#link.sitestoreref))\$ - at 1, 1

INFO 05.07.2011 10:49:35.699 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/jamesketchell/JamesKetchell.html'

INFO 05.07.2011 10:49:35.700 {seID=89011}

(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference  
'contentpage\_23' (id=102422, html, EN)

WARN 05.07.2011 10:49:35.793 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1

inside of: Template 'Multiple Hero Tabs' (id=87327)

inside of: \$CMS\_VALUE(st\_tabs)\$ - at 6, 5

inside of: Template 'Hero Main Page Image And Box' (id=87201)

inside of: \$CMS\_IF( noBoxOption != "true" )\$ - at 24, 12

inside of: \$CMS\_VALUE(st\_link)\$ - at 28, 18

WARN 05.07.2011 10:49:35.825 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Undefined method 'de.espirit.firstspirit.parser.eval.NullEnhancer\$Null#getId()'

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

INFO 05.07.2011 10:49:35.826 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

WARN 05.07.2011 10:49:35.826 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(categoryID)\$ - at 322, 50

INFO 05.07.2011 10:49:35.853 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/worldswimagainstmalaria/speedohome.html'

INFO 05.07.2011 10:49:35.855 {seID=89011}  
(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference 'speedohome'  
(id=130567, html, EN)

ERROR 05.07.2011 10:49:35.949 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): format  
template for tag 'paragraphwithoutptag' not found

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1

inside of: Template 'Content Text With Image/video/flash' (id=87330)

inside of: \$CMS\_VALUE(st\_contText)\$ - at 60, 5

inside of: Format Template 'normaltext' (id=87171)

inside of: \$CMS\_VALUE(#content)\$ - at 1, 1

WARN 05.07.2011 10:49:35.975 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Undefined method 'de.espirit.firstspirit.parser.eval.NullEnhancer\$Null#getId()'

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

INFO 05.07.2011 10:49:35.975 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

WARN 05.07.2011 10:49:35.976 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(categoryID)\$ - at 322, 50

INFO 05.07.2011 10:49:36.008 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/sculpturebenefits/details.html'

INFO 05.07.2011 10:49:36.009 {seID=89011}  
(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference 'details'  
(id=132044, html, EN)

WARN 05.07.2011 10:49:36.102 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(#global.page.body("Content"))\$ - at 160, 1

inside of: Template 'Multiple Hero Tabs' (id=87327)

inside of: \$CMS\_VALUE(st\_tabs)\$ - at 6, 5

inside of: Template 'Hero Main Page Image And Box' (id=87201)

inside of: \$CMS\_IF( noBoxOption != "true" )\$ - at 24, 12

inside of: \$CMS\_VALUE(st\_link)\$ - at 28, 18

WARN 05.07.2011 10:49:36.130 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Undefined method 'de.espirit.firstspirit.parser.eval.NullEnhancer\$Null#getId()'

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

INFO 05.07.2011 10:49:36.130 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

WARN 05.07.2011 10:49:36.131 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(categoryID)\$ - at 322, 50

INFO 05.07.2011 10:49:36.186 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/swimming\_videos/watch\_swim\_videos.html'

INFO 05.07.2011 10:49:36.187 {seID=89011}  
(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference  
'watch\_swim\_videos' (id=87734, html, EN)

INFO 05.07.2011 10:49:36.198 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): copy file  
content AC\_RunActiveContent (id=87163), lang = EN, to media/script/AC\_RunActiveContent.js

WARN 05.07.2011 10:49:36.418 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Undefined method 'de.espirit.firstspirit.parser.eval.NullEnhancer\$Null#getId()'

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

INFO 05.07.2011 10:49:36.418 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

WARN 05.07.2011 10:49:36.419 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(TagTitle)\$ - at 322, 25

WARN 05.07.2011 10:49:36.419 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(categoryID)\$ - at 322, 50

INFO 05.07.2011 10:49:36.437 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction): creating  
output stream for '/en/speedo\_brand/insidespeedo/genericthankyou/contentpage\_22.html'

INFO 05.07.2011 10:49:36.438 {seID=89011}

(de.espirit.firstspirit.store.access.sitestore.PageRefImpl): generating page reference  
'contentpage\_22' (id=148865, html, EN)

WARN 05.07.2011 10:49:36.549 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Undefined method 'de.espirit.firstspirit.parser.eval.NullEnhancer\$Null#getId()'

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

INFO 05.07.2011 10:49:36.550 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)



inside of: \$CMS\_IF( pt\_subCategory.isEmpty )\$ - at 309, 1

inside of: \$CMS\_SET(categoryID, pt\_parentCategory.getId())\$ - at 310, 2

WARN 05.07.2011 10:49:36.551 {seID=89011} (de.espirit.firstspirit.generate.SiteProduction):  
Replacing null value with empty default!

inside of: Template 'Home Page (1a Home)' (id=87218)

inside of: \$CMS\_VALUE(categoryID)\$ - at 322, 50

INFO 05.07.2011 10:49:36.556 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): finished generation of project 'Speedo  
International' (id=57534) - 0 fatal error(s), 3 error(s), 15 warning(s), duration 0:00:04.136

INFO 05.07.2011 10:49:36.556 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.GenerateTaskExecutor): 8 pages produced, ~462 ms per page

INFO 05.07.2011 10:49:36.556 {seID=89011}  
(de.espirit.firstspirit.server.scheduler.ScheduleManagerImpl): finished task 'Generate' - schedule  
entry 'Deploy Individual Asset To Prod' (id=89011)